

Misc Queries

Copy orig to posd with option to change %

```
set @terminalno = 1;
set @datefrom = '2018-01-01';
set @dateto = '2019-01-31 23:59:59';
set @branchid = 16;
set @perc = 1;
```

```
delete from salesdetail_posd
where headid in (
select
wid
from saleshead
where `date` between @datefrom and @dateto
and terminalno = @terminalno
and branchid = @branchid
and `type` = 3
);
```

```
delete from collectiondetail_posd
where headid in (
select
headid
from collectionsales_posd
where saleswid in (
select `wid`
from saleshead
where `date` between @datefrom and @dateto
and `terminalno` = @terminalno
and `branchid` = @branchid
and `type` = 3
)
);
```

```
set @wid = (
select ifnull(max(wid),concat(@branchid,lpad(@terminalno,2,0),'00000000001')+0)
from salesdetail_posd
where left(wid,4) = concat(@branchid,lpad(@terminalno,2,0))
);
```

```
INSERT INTO `salesdetail_posd`
(
`wid`,
`headid`,
`productid`,
`description`,
`quantity`,
`bigquantity`,
`oprice`,
`price`,
`discount1`,
```

Misc Queries

```
`discount2`,
`discount3`,
`discount4`,
`istransfer`,
`pprice`,
`addbackqty`,
`addbackbigqty`,
`vat`,
`senior`,
`soldby`)
select
@wid := @wid + 1,
`headid`,
`productid`,
`description`,
`quantity`,
`bigquantity`,
`oprice`*@perc,
`price`*@perc,
`discount1`,
`discount2`,
`discount3`,
`discount4`,
`istransfer`,
`pprice`*@perc,
`addbackqty`,
`addbackbigqty`,
`price`*@perc/1.12*0.12,
`senior`,
`soldby`
from salesdetail
where headid in (
select
wid
from saleshead
where `date` between @datefrom and @dateto
and `terminalno` = @terminalno
and `branchid` = @branchid
and `type` = 3
);

update collectionsales_posd as C,
(select H.wid, sum(D.price*D.quantity) as amount
from salesdetail_posd as D, saleshead_posd as H
where H.wid = D.headid
and `date` between @datefrom and @dateto
and terminalno = @terminalno
and branchid = @branchid
group by H.wid) as S set
```

Misc Queries

```
C.amount = S.amount  
where C.saleswid = S.wid;
```

```
set @wid = (  
select ifnull(max(wid),concat(@branchid,lpad(@terminalno,2,0),'00000000001')+0)  
from collectiondetail_posd  
where left(wid,4) = concat(@branchid,lpad(@terminalno,2,0)));
```

```
INSERT INTO `collectiondetail_posd`  
(  
`wid`,  
`headid`,  
`method`,  
`amount`)  
select  
@wid := @wid + 1,  
D.headid,  
D.method,  
D.amount*@perc from collectiondetail as D, collectionsales_posd as S  
where D.headid = S.headid and S.saleswid in (  
select  
wid  
from saleshead  
where `date` between @datefrom and @dateto  
and terminalno = @terminalno  
and branchid = @branchid  
);
```

```
delete from posxyzread_posd where terminalno = @terminalno and `date` >=  
@datefrom and branchid = @branchid;  
delete from posxyzread where terminalno = @terminalno and `date` >=  
@datefrom and branchid = @branchid;
```

```
select  
`date`,oldgrandtotal,newgrandtotal,  
format(newgrandtotal-oldgrandtotal,2) as amt  
from posxyzread_posd  
where terminalno = @terminalno and `date` >= @datefrom  
and branchid = @branchid  
and readtype = 3 ;  
select  
`date`,oldgrandtotal,newgrandtotal,  
format(newgrandtotal-oldgrandtotal,2) as amt  
from posxyzread  
where terminalno = @terminalno and `date` >= @datefrom  
and branchid = @branchid  
and readtype = 3 ;
```

Misc Queries

Unique solution ID: #1075

Author: Robi

Last update: 2018-02-02 11:38